

compose.kerala.gov.in
egazette.kerala.gov.in
printing.kerala.gov.in



Regn.No. KERBIL/2012/45073
dated 2012-09-05 with RNI
Reg No.KL/TV(N)/634/2021-2023

കേരള സർക്കാർ
GOVERNMENT OF KERALA

കേരള ഗസറ്റ് KERALA GAZETTE

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്
PUBLISHED BY AUTHORITY

ചൊവ്വ, 2026 ജൂലൈ 07
Tuesday, 07th July 2026

1201 മിഥുനം 23
23rd Mithunam 1201

വാല്യം 15
Vol. XV

1948 ആഷാഢം 16
16th Ashadha 1948

നമ്പർ } 27
No. }

Part III Store Purchase

©
കേരള സർക്കാർ
GOVERNMENT OF KERALA
2026



TENDER NOTICE

(E-tender ID:2026_AGRI_857793_1)

No.ADFW/9457/2023-TG-II(2)/NS.

26th June 2026.

Notice inviting E-tender for the supply, installation, trial run and commissioning of Vertical Axial Flow (Non-Submersible) pump sets under NABARD RIDF XXX - Replacement of Petty para with Energy efficient pump-sets for dewatering paddy fields in Alappuzha, Kottayam and Pathanamthitta districts of Kerala with prime mover, delivery line, panel board and all other accessories.

On behalf of Governor of Kerala e-tender in two cover system is invited from manufacturers or their authorized dealers or authorized distributors or authorized suppliers for the supply, installation, trial run and commissioning of Vertical axial flow pump-sets (Non-Submersible) and all other accessories with the following specification: by the Director of Agriculture, Kerala.

Supply erection, testing and commissioning of Vertical Axial Flow pump set (Non-Submersible) for various padashekarams of Alappuzha, Kottayam and Pathanamthitta district with the specifications listed below:

Suitable for handling saline and silty water with rpm 1000 (Syn) or less. The material of construction of flange, suction bell, bowl, shroud shall be CI with 2% Nickel, impeller, shaft, shaft sleeve, fastener and suction pipe shall be of SS 304. Delivery pipe should be in SS 304 with minimum thickness 6 mm and of suitable length (varies from 4-10 m) or as per site condition. The prime mover of the pump is to be 3 phase TEFC squirrel cage induction motor of reputed make operating at 415V +/- 10%, 50 Hz +/- 5% connection with F class insulation, control panel must have dust and vermin proof vertical mounted cubical type panel board of reputed make with FCMA soft starter of reputed make, MCCB including phase failure protection, surge protection device, dry run protection, overload over current protection, thermal over load protection relay, earth fault relay, voltmeter, ammeter, fault indication start and stop switches and power factor correction capacitor etc. Wiring and earthing should be as per regulations of KSEB and electrical inspectorate.



Separate cubical type energy meter panel with CT metering provision including 4 Pole FN type isolator, RCCB , HRC fuses and carrier. Suitable size Copper cable for connection from electric post to meter box and meter panel to motor control panel etc. should be fitted at site, with proper earthing. Cable termination should be as per the regulations and specifications of KSEB and Electrical Inspectorate standards.

Screen with 6mm GI welded mesh with 50mm x 50mm opening size (about 20 sq.m area) framed in GI angles and GI tubes fitted at the opening on top and sides of sump to prevent entry of unwanted materials to the pump through inflow water. Proper I-section should be provided for supporting the motor mountings and pedestal. Suitable chain block and tripod facilities to be provided for lifting the motor at least 1.00 m above maximum flood level.

Rate quoted should be inclusive of all the charges for supply, installation including trial run and commissioning, all types of transportation and conveyance, loading and unloading charges, charges for factory testing, but excluding GST etc.

<i>Sl. No.</i>	<i>Connected Load (HP)</i>	<i>Duty Point (m)</i>	<i>Discharge (LPS)</i>	<i>Minimum Overall Efficiency at Duty Point (%)</i>	<i>Alappuzha</i>	<i>Kottayam</i>	<i>Pathanamthitta</i>
1	15	3.0	266	70	6	0	0
2	20	2.0	532	70	0	2	0
3	20	3.0	354	70	14	0	8
4	25	3.0	443	70	10	0	0
5	30	3.0	532	70	5	0	0
6	40	2.0	1064	70	0	1	0
7	40	3.0	709	70	3	1	0
8	50	2.0	1330	70	0	6	0
9	50	3.0	886	70	9	0	0
10	60	2.0	1596	70	0	1	0
11	60	3.0	1064	70	2	0	0
Total					49	11	8

In accordance with respective specification as shown in the tender documents, the tender is to be submitted as e-tenders through etenders.kerala.gov.in. Since this is an online process only those bidders who have enrolled in the above portal with their own Digital Signature Certificate



(DSC) can participate in the tender. E tender document and other details can be obtained from the above portal. Details of locations of proposed installation and power availability at sites are appended.

EMD (online payment): ₹9,80,500/-

Tender Fee (online payment + GST payment): ₹1,96,100 + ₹35,298 (18% GST Paid directly to GST department)

Document sale start date	22/06/2026 at 18:00
Bid Submission start date	29/06/2026 at 11:00
Document sale end date	21/07/2026 at 12:00
Last date and time of receipt of e-tender	21/07/2026 at 12:00
Date and time of opening of technical bid	23/07/2026 at 12:00
Date up to which the rate is to remain firm for acceptance	180 days
Performance Security	5 % of quoted amount
Period of Completion	12 months

Bidders shall remit the tender document fee and EMD using the online payment option of e-procurement system. GST for tender fee should be paid separately and the Chelan must be uploaded with the bid document.

Scanned copy of the preliminary agreement in the prescribed format in Kerala Stamp paper worth ₹ 20 should be submitted online and original to the undersigned before the opening of e-tender. The rate should be quoted in Indian Currency only. The rules and regulation prescribed for e-tenders by the Govt. of Kerala shall be applicable to this e-tender also.

Tenders will be opened online in the presence of such bidders or their authorized representatives who have logged in at the prescribed time of opening. If the date fixed for opening happens to be a holiday or due to net failure, the tenders will be opened in the next working day at the same time.

In the bid, the following documents should be submitted by online.

1. BOQ duly filled uploaded in the e-tender portal.
2. Technical data sheet duly filled up and signed.
 - a. If any more information to be furnished, separate data sheet shall be attached for additional information.
 - b. Scanned copy of performance curve etc. should be attached.
3. E-payment form duly filled and signed.



4. Proof of original manufacturer/authorized dealers/distributor/supplier (copy of authorization letter).
5. Scanned copy of preliminary agreement executed in Kerala Stamp Paper worth ₹200.
6. EMD exemption certificate (if any) should be submitted online.
7. Form No.14 duly filled and signed.
8. Tender notice and special condition of tender duly signed.
9. Schedules of rates for spare parts and services.
10. AMC for a period of ten years.
11. Experience Certificates.
12. Proof of payment of GST amount of tender fee.

General Requirements

1. The efficiency of the pumping unit supplied shall be as high as practicable, consistent with the best modern design.
2. The pump set shall be capable of operating in open conditions in the range without being overloaded at any point with a margin of at least 10% of power in the motor pump set over entire operating range.
3. The pump set characteristics shall be of stable nature such that the efficiency is fairly steady for the water level variations. The maximum efficiency point will be nearer to the duty point and fairly constant for larger range on either side. The pump sets should run smoothly over the entire operating range without cavitations and vibration. The variation in the efficiencies for any point of operation in the entire operating range should be minimum.
4. The pump set shall be suitable for pumping of raw/brackish/saline water containing silt, coarse sand and gravel/suspended solids up to 50 mm size.
5. The pump set shall be suitable for non-stop continuous 24 hours operation without interruption.
6. The pump set shall be Axial Flow type with fixed blade angle according to the type used. The pump sets shall be comprised of suction bell mouth pump casing, impeller and motor on single common shaft, long life anti friction bearing (drive and non driving end) oil chamber with mechanical seals etc.
7. The supplier shall furnish the following documents:
 - a. Final constructional drawings of the pump set.
 - b. Operation, maintenance and spare parts manual for pump set.
 - c. Weight of pump set and required minimum crane capacity.
 - d. Material of casting certificate for pump components.



8. The pump set manufacturer has to declare the performance parameters separately as Guaranteed Performance Parameters. These shall include discharge, pump set efficiency and overall efficiency.
9. The manufacturer has to provide technical data as given in Annexure -I declaration of the product offered for the product they have quoted.
10. Bidders are permitted to submit only one make and model for each item. Quoting more than one make and model for a single item will result in the rejection of the technical bid.

Special Conditions

1. The firm must have a minimum of two years of experience in similar types of work.
2. The basic rate quoted should be inclusive of all charges for supply, installation, trial run, commissioning, transportation, handling charge, etc., but excluding GST. Prevailing GST rate at the time of procurement will be applicable separately.
3. The firm has to supply the items at the location specified or as per direction from the undersigned.
4. The successful bidder will be bound to supply the items as per the requirement of the Tender Inviting Authority (TIA).
5. The bidders can quote, for all / any / some of the items as per their choice, but the cost of tender form and EMD remains the same.
6. Bidder has to pay the GST portion of tender fee directly to GST Department and upload the Chelan in the portal and also submit along with the hardcopy of tender documents.
7. The Bidder should specify the Make and Model of pump set quoted.
8. The bidder must provide authorization letter (manufacturer/dealer/distributor/supplier) from the manufacturer.
9. The supplier should confirm the repair and service facilities, availability of spare parts etc. of the items supplied for a minimum period of 10 years. The selected bidder should attend the pump set and rectify the trouble within 48 hours in case of registration of complaints.
10. The successful bidder receiving a supply order for 20 or more pumps shall establish a fully-fledged service centre in the Kuttanad region of Kerala within 180 days from the date of issue of the supply order.
11. The successful bidder shall arrange insurance for the supplied pumps against natural calamities and accidental damages and bear the annual premiums for



- the first three years. Thereafter, the respective Padashekhara Samithi receiving the pumps shall bear the subsequent premiums.
12. The most competitive cost of the AMC shall be quoted by the bidders for a period of 10 years, and the firm shall be bound to execute AMC contracts with the respective Padashekhara Samithi, if required.
 13. Schedules of rates for spare parts and services should be submitted along with the bid documents.
 14. Training programmes in operation and minor repair should be arranged for selected pump operators and Padasekhara Samithi members (three times the number of pump sets supplied) and training programme on repair and maintenance should be arranged for selected technical persons (number equal to the number of pumpsets supplied) by the supplier at their own cost.
 15. All pump set shall be subjected to performance test as per IS 9137 at manufacturer's work for different head, discharge and efficiency in presence of tender inviting authority or authorized persons.
 16. The Tender Inviting Authority reserves the right to order full quantity of supply to any one bidder or distribute the supply to different bidders as per decision of the technical committee constituted for the purpose.
 17. The successful bidder will have to execute an agreement in Kerala Stamp Paper worth ₹ 200 in prescribed form and manner and to furnish the required security amount @ 5% of total quoted amount within 14 days of the receipt of selection notice. The security deposit will be disbursed within 28 days after the successful completion of the Defect Liability Period of three years.
 18. Tenders, incomplete in any respect, will be summarily rejected and the decision of the TIA will be final.
 19. The Supply, installation, testing, trial run and commissioning should be completed within 365 days on receipt of the supply order.
 20. Satisfactory completion certification should be submitted for each installation from electrical inspectorate.
 21. Bidders should be prepared to do necessary civil construction works associated with the installation, if any required, such as Panel board fixing, pump house floor concreting, providing support to delivery pipe, cleaning of parakkuzhy if required, etc. within the quoted amount.
 22. Bidders are advised to visit the location of proposed installations before quoting.
 23. The payment shall be released only after satisfying the quantity, quality and specifications of the items supplied and successful commissioning and trial run of the item supplied by the bidder and inspection of the technical committee constituted for the same.



24. A minimum warranty period of three years is to be assured for all the pump-sets and the items supplied and the details of AMC thereafter, for period of seven years should be mentioned along with the tender documents.
25. All annexures should be duly filled and uploaded with the tender.
26. Any legal disputes that may arise in relation to the e-tender formalities will be restricted to the jurisdiction of Thiruvananthapuram District Court.

Communications to be addressed to:

The Director of Agriculture
Agriculture Development and Farmers Welfare
Department Vikas Bhavan, Thiruvananthapuram, Kerala, Pin : 695 033
E-mail : saekerala@gmail.com. Phone : 0471-2306748.

Directorate of Agriculture Development
and Farmers' Welfare, Vikas Bhavan,
Thiruvananthapuram – 695 033.

DR. SRIRAM VENKITARAMAN IAS,
Director.



E-TENDER NOTICE

No.CEMECH/381/2025-CP

Dated: 25-06-2026

The Superintending Engineer & Deputy Chief Engineer, Mechanical, PWD, Irrigation Department, Thiruvananthapuram for and on behalf of the Governor of Kerala invites e-tender from the original manufacturer or their authorized dealers/ joint venture firms with at least one partner authorized by the original manufacturer / distributor with authorization from original manufacturer, in Kerala for the "Supply of one No 40 hp Motor Pumpsets and accessories for Pumpset for Alapazhanji Bhagam LI scheme in Pandalam Municipality, under MI division, Pathanamthitta".

The bidder must have an office and their service in Kerala

In accordance with respective specification for supply of pump as shown in tender schedule of this tender document, the tender is to be submitted as e-tenders through <http://etenders.kerala.gov.in>. Since this is an e-tender, only those bidders who have enrolled in the above portal with their own digital signature certificate (DSC) can participate in the tender. E-tender document and other details can be obtained from the above portal.

1. E-TENDER No. CE (MECH)/T/06/2026-27
2. Cost of Tender documents - 1500/-
3. Document sale starting date - 25/06/2026 at 12 pm
4. EMD (Online payment) - Rs 18,200/-
5. Date and time of commencement of online bid submission – 25/06/2026 at 1.00 pm
6. Date and time of closing of online bid submission - 08/07/2026 at 5 pm
7. Date and time of opening of bid -10/07/2026 at 3.30 pm

Bidders shall remit the tender document fee and EMD using the online payment option of e-procurement system only. Bidders are advised to visit downloads section of e-procurement website <http://etenders.kerala.gov.in> for details instructions on making online payment using internet banking facility of SBI or by NEFT facility. In the bid, the following documents should be submitted by online.

- 1) BOQ duly filled up and signed.
- 2) Technical data sheet duly filled up and signed.
 - a) If any more information to be furnished, separate data sheet shall be attached for additional information.
 - b) Scanned copy of family curve, performance curve etc should be attached.
- 3) E-payment form duly filled and signed.
- 4) Proof of original manufacturer/authorized dealers/ joint venture firms with at least one partner authorized by the original manufacturer / distributor with authorization from original manufacturer and attested copy of same.
- 5) Scanned copy of preliminary agreement executed in Kerala Stamp Paper worth Rs.200/-



- 6) EMD exemption certificate (if any) should be submitted online.
- 7) Other details if any required to be furnished in the special condition.
- 8) Form No. 14 duly filled and signed.
- 9) Tender Notice and Special condition of Tender duly signed.

Hard copy of all the above documents should be submitted on or within 3 days after bid opening. The bidders shall submit the hard copy of the bid containing the documents as noted in the above paras in sealed envelope. The sealed envelope addressed to the Superintending Engineer & Deputy Chief Engineer, PWD, Mechanical, O/o the Chief Engineer, Mechanical, Thiruvananthapuram should reach in this office on or before the time specified above. The envelope should be super scribed with tender No., due date and name of work.

Tenders will be opened online in the presence of such bidders or their authorized representatives present at the prescribed time of opening before the Superintending Engineer & Deputy Chief Engineer, PWD, Mechanical, O/o the Chief Engineer, Mechanical, Thiruvananthapuram. If date fixed for opening happens to be a holiday or due to net failure the tender will be opened in the next working day at same time and place.

The right to accept or reject of e-tender without assigning any reason is vested with The Superintending Engineer & Deputy Chief Engineer, Mechanical, PWD, Thiruvananthapuram.

The bidder is advised to submit the bids well before the stipulated date and time to avoid any kind of network issues, traffic congestions, etc. In this regard, the department shall not be responsible for any kind of such issues faced by the bidder. All the rules related to tender in Irrigation department along with the rules and regulation prescribed for e-tenders by the Government of Kerala shall be applicable to this tender.

The bidder should have the GST registration and the registration number should be furnished in the tender documents.

Materials supplied should be guaranteed for not less than '36' months against any manufacturing defects from the date of commissioning.

Sd/-

Manesh T K

Superintending Engineer & Deputy Chief Engineer
Mechanical, PWD
(Full Additional charge)

O/o the Chief Engineer
Mechanical, Thiruvananthapuram



ഇ-ഭർവാസ് പരസ്യം

നം.CEMECH/381/2025-CP

തീയതി: 25-06-2026.

കേരള ഗവർണ്ണർക്ക് വേണ്ടി സൂപ്രണ്ടിംഗ് എഞ്ചിനീയർ & ഡെപ്യൂട്ടി ചീഫ് എഞ്ചിനീയർ, മെക്കാനിക്കൽ, പി.ഡബ്ല്യു.ഡി, ജലസേചന വകുപ്പ് യഥാർത്ഥ നിർമ്മാതാവിൽ നിന്നോ കേരളത്തിലെ അവരുടെ അംഗീകൃത ഡീലർമാരിൽ നിന്നോ/ സംയുക്ത സംരംഭങ്ങളിൽ നിന്നോ “Supply of one No 40 hp Motor Pumpsets and accessories for Pumpset for Alapazhanji Bhagam LI scheme in Pandalam Municipality, under MI division, Pathanamthitta” എന്ന പ്രവർത്തിയ്ക്ക് ഇ-ടെണ്ടർ ക്ഷണിക്കുന്നു.

Bidder-ന് നിർബന്ധമായും കേരളത്തിൽ ഓഫീസും സർവ്വീസും ഉണ്ടായിരിക്കേണ്ടതാണ്.

ഇ-ടെണ്ടർ ഡോക്യുമെന്റിലെ ടെൻഡർ ഷെഡ്യൂളിൽ കാണിച്ചിരിക്കുന്ന പമ്പ്സെറ്റ് വിതരണം ചെയ്യുന്നതിനുള്ള അതാത് സ്പെസിഫിക്കേഷൻ അനുസരിച്ച് “Supply of one No 40 hp Motor Pumpsets and accessories for Pumpset for Alapazhanji Bhagam LI scheme in Pandalam Municipality, under MI division, Pathanamthitta” എന്ന പ്രവർത്തിയുടെ ടെൻഡർ <http://etenders.kerala.gov.in> വഴി ഇ-ടെണ്ടറായി സമർപ്പിക്കേണ്ടതാണ്. ഇതൊരു ഇ-ടെണ്ടർ ആയതിനാൽ, സ്വന്തം ഡിജിറ്റൽ സിഗ്നേച്ചർ സർട്ടിഫിക്കറ്റ് (DSC) ഉപയോഗിച്ച് മുകളിലുള്ള പോർട്ടലിൽ എൻറേൾ ചെയ്തിട്ടുള്ള bidders-ന് മാത്രമേ ടെൻഡറിൽ പങ്കെടുക്കാൻ കഴിയൂ. ഇ-ടെൻഡർ ഡോക്യുമെന്റും മറ്റ് വിശദാംശങ്ങളും മുകളിലുള്ള പോർട്ടലിൽ നിന്ന് ലഭിക്കും.

1. E-TENDER No. CE (MECH)/T/06/2026-27
2. Cost of Tender documents - 1500/-
3. Document sale starting date - 25/06/2026 at 12 pm
4. EMD (Online payment) - Rs 18,200/-
5. Date and time of commencement of online bid submission - 25/06/2026 at 1.00 pm
6. Date and time of closing of online bid submission - 08/07/2026 at 5 pm
7. Date and time of opening of bid - 10/07/2026 at 3.30 pm

Bidders ടെണ്ടർ ഡോക്യുമെന്റ് ഫീസും EMD-യും E-procurement സിസ്റ്റത്തിലൂടെ ഓൺലൈൻ പേയ്മെന്റ് ഓപ്ഷൻ ഉപയോഗിച്ച് മാത്രം അടയ്ക്കണം. SBI-യുടെ ഇന്റർനെറ്റ് ബാങ്കിംഗ് സൗകര്യം ഉപയോഗിച്ചോ NEFT സൗകര്യം വഴിയോ ഓൺലൈൻ പേയ്മെന്റ് നടത്തുന്നതിനുള്ള വിശദാംശ നിർദ്ദേശങ്ങൾക്കായി bidders E-procurement സിസ്റ്റത്തിലെ <http://etenders.kerala.gov.in> എന്ന വെബ്സൈറ്റ് ഡൗൺലോഡ് ചെയ്ത് സന്ദർശിക്കണം. ടെണ്ടറിൽ പങ്കെടുക്കുമ്പോൾ ഇനിപ്പറയുന്ന രേഖകൾ ഓൺലൈനായി സമർപ്പിക്കണം.

- 1) BOQ കൃത്യമായി പൂരിപ്പിച്ച് ഒപ്പിടുക.
- 2) സാങ്കേതിക ഡേറ്റാ ഷീറ്റ് ശരിയായി പൂരിപ്പിച്ച് ഒപ്പിടുക.
 - a) കൂടുതൽ വിവരങ്ങൾ നൽകണമെങ്കിൽ, കൂടുതൽ വിവരങ്ങൾക്കായി പ്രത്യേക ഡാറ്റാ ഷീറ്റ് അറ്റാച്ച് ചെയ്യുക.
 - b) ഫാമിലി കർവ്, പെർഫോമൻസ് കർവ് മുതലായവയുടെ സ്കാൻ ചെയ്ത പകർപ്പ് അറ്റാച്ച് ചെയ്യണം.
- 3) ഇ-പേയ്മെന്റ് ഫോം കൃത്യമായി പൂരിപ്പിച്ച് ഒപ്പിടുക.
- 4) Authorization Certificate-ന്റെ സാക്ഷ്യപ്പെടുത്തിയ പകർപ്പ്.



- 5) 200 രൂപ വിലയുള്ള കേരള സ്റ്റാമ്പ് പേപ്പറിൽ നടപ്പിലാക്കിയ Preliminary Agreement-ന്റെ സ്കാൻ ചെയ്ത പകർപ്പ്.
- 6) EMD ഒഴിവാക്കൽ സർട്ടിഫിക്കറ്റ് (എന്തെങ്കിലും ഉണ്ടെങ്കിൽ) ഓൺലൈനായി സമർപ്പിക്കണം.
- 7) പ്രത്യേക വ്യവസ്ഥയിൽ എന്തെങ്കിലും നൽകണമെങ്കിൽ മറ്റ് വിശദാംശങ്ങൾ.
- 8) ഫോ നമ്പർ 14 പൂരിപ്പിച്ച് ഒപ്പിടണം.
- 9) ടെണ്ടർ നോട്ടീസും Tender Condition-നും കൃത്യമായി ഒപ്പിടണം.
- 10) GST Registration സർട്ടിഫിക്കറ്റും രജിസ്ട്രേഷൻ നമ്പരും.

മേൽപ്പറഞ്ഞ എല്ലാ രേഖകളുടേയും ഹാർഡ് കോപ്പി bid opening date മുതൽ 3 ദിവസത്തിനകം സമർപ്പിക്കണം. Bidders മുകളിൽ പറഞ്ഞ ഖണ്ഡികകളിൽ രേഖപ്പെടുത്തിയിരിക്കുന്ന രേഖകൾ അടങ്ങിയ bid-ന്റെ ഹാർഡ് കോപ്പി സീൽ ചെയ്ത കവറിൽ സമർപ്പിക്കണം. സുപ്രണ്ടിംഗ് എഞ്ചിനീയർ & ഡെപ്യൂട്ടി ചീഫ് എഞ്ചിനീയർ, പി.ഡബ്ല്യു.ഡി മെക്കാനിക്കൽ, ചീഫ് എഞ്ചിനീയറുടെ കാര്യാലയം, മെക്കാനിക്കൽ തിരുവനന്തപുരം - 695033 കേരളം എന്ന വിലാസത്തിൽ bid opening date കഴിഞ്ഞ് മൂന്ന് ദിവസത്തിനകം ഈ ഓഫീസിൽ ലഭ്യമാക്കേണ്ടതാണ്. കവറിൽ ടെണ്ടർ നമ്പർ, പ്രവർത്തിയുടെ പേര് എന്നിവ രേഖപ്പെടുത്തിയിരിക്കണം.

ടെണ്ടർ തുറക്കുന്ന സമയത്ത് ഹാജരായിട്ടുള്ള Bidders-ന്റെയോ അവരുടെ അംഗീകൃത പ്രതിനിധികളുടേയോ സാന്നിധ്യത്തിൽ നിർദ്ദിഷ്ട സമയത്ത് ഹാജരാക്കിയിട്ടുള്ള ടെണ്ടറുകൾ ഓൺലൈനായി തുറക്കുന്നതാണ്. തുറക്കാൻ നിശ്ചയിച്ചിരിക്കുന്ന തീയതി അവധി ദിവസമായിരിക്കുകയോ അല്ലെങ്കിൽ മറ്റ് സാങ്കേതിക തടസ്സങ്ങൾ ഉണ്ടാകുകയോ ആണെങ്കിൽ ടെണ്ടർ തൊട്ടടുത്ത പ്രവർത്തി ദിവസത്തിൽ അതേ സ്ഥലത്തും സമയത്തും തുറക്കുന്നതായിരിക്കും. Technical Bid തുറന്ന് കഴിഞ്ഞ് Technical Committee പമ്പസെറ്റുകളുടെ സാങ്കേതിക വിവരങ്ങൾ വിലയിരുത്തുന്നതും Financial Bid തുറക്കുന്ന തീയതിയും സമയവും Technical Bid-ൽ യോഗ്യത നേടുന്ന firms-നെ നേരിട്ട് അറിയിക്കുന്നതുമായിരിക്കും.

യാതൊരു കാരണവും ബോധിപ്പിക്കാതെ ഇ-ടെണ്ടർ നിരസിക്കാനുള്ള അധികാരം സുപ്രണ്ടിംഗ് എഞ്ചിനീയർ & ഡെപ്യൂട്ടി ചീഫ് എഞ്ചിനീയർ, മെക്കാനിക്കൽ, പി.ഡബ്ല്യു.ഡി തിരുവനന്തപുരം-ൽ നിക്ഷിപ്തമാണ്.

ഏതെങ്കിലും തരത്തിലുള്ള നെറ്റ് വർക്ക് പ്രശ്നങ്ങൾ, മറ്റ് സാങ്കേതിക തടസ്സങ്ങൾ മുതലായവ ഒഴിവാക്കുന്നതിന് നിശ്ചിത തീയതിയും സമയത്തിനും മുൻപായി bid സമർപ്പിക്കേണ്ടതാണ്. Bid സമർപ്പിക്കുമ്പോൾ bidders അഭിമുഖീകരിക്കേണ്ടി വരുന്ന ഇത്തരം പ്രശ്നങ്ങൾക്ക് ഡിപ്പാർട്ട്മെന്റ് ഉത്തരവാദിയായിരിക്കില്ല. കേരള സർക്കാർ ജലസേചന വകുപ്പിലെ ഇ-ടെണ്ടറുമായി ബന്ധപ്പെട്ട എല്ലാ നിയമങ്ങളും കേരള സർക്കാരിന്റെ സ്റ്റോർ പർച്ചേസ് മാനുവലിൽ നിർദ്ദേശിച്ചിട്ടുള്ള എല്ലാ നിയമങ്ങളും ചട്ടങ്ങളും ഈ ടെണ്ടറിന് ബാധകമായിരിക്കും.

പമ്പസെറ്റും സാമഗ്രികളും കമ്മീഷൻ ചെയ്ത തീയതി മുതൽ '36' മാസമാണ് Defect Liability Period ആയി കണക്കാക്കുന്നത്.

Sd/-

മനേഷ്.റ്റി.കെ

സുപ്രണ്ടിംഗ് എഞ്ചിനീയർ & ഡെപ്യൂട്ടി ചീഫ് എഞ്ചിനീയർ
മെക്കാനിക്കൽ, പി.ഡബ്ല്യു.ഡി
(പൂർണ്ണ അധികച്ചുമതല)

ചീഫ് എഞ്ചിനീയറുടെ കാര്യാലയം,
മെക്കാനിക്കൽ, തിരുവനന്തപുരം.



റീ-ടെണ്ടർ നോട്ടീസ്

(1)

നമ്പർ SWTDH0/731/2026-C5.

2026 ജൂൺ 20.

സംസ്ഥാന ജലഗതാഗത വകുപ്പ്, ആലപ്പുഴയിലേക്ക് താഴെ പറയുന്ന ഐറ്റങ്ങൾ സപ്ലൈ ചെയ്യുന്നതിന് മുദ്രവെച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

പുനർ ദർഘാസ് നമ്പർ—06/C5/2026-27.

സപ്ലൈ ചെയ്യേണ്ട ഐറ്റം—എ സി ഇലക്ട്രിക്കൽ ഐറ്റങ്ങൾ

അടങ്കൽ തുക—₹ 2,70,000.

നിരതദ്രവ്യം—₹ 2,700.

ദർഘാസ് ഫോറത്തിന്റെ വില—₹ 590 (including G.S.T.).

ദർഘാസ് ഫോറം വില്പനയുടെ അവസാന തീയതിയും സമയവും—14-7-2026, 1 മണിവരെ.

ദർഘാസ് ലഭിക്കേണ്ട അവസാന തീയതിയും സമയവും—14-7-2026, 3 മണിവരെ.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—14-7-2026, 3.15 മണി.

ദർഘാസ് സംബന്ധിച്ച് കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി ദിവസങ്ങളിൽ വൈകുന്നേരം 5 മണി വരെ ഈ ഓഫീസിൽ ലഭ്യമാണ്. ടെലഫോൺ നമ്പർ 0477-2252015.

(2)

നമ്പർ SWTDH0/188/2026-C2.

2026 ജൂൺ 25.

സംസ്ഥാന ജലഗതാഗത വകുപ്പ്, ആലപ്പുഴയിലേക്ക് താഴെ പറയുന്ന പ്രവൃത്തി ചെയ്യുന്നതിന് മുദ്രവെച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ദർഘാസ് നമ്പർ—77/C2/2025-26.

സപ്ലൈ ചെയ്യേണ്ട വസ്തു—ബോട്ടുകളുടെ സ്റ്റേൺ ട്യൂബുകളിലെ സ്റ്റാഫിങ് ബോക്സ്.

അടങ്കൽ തുക—₹ 1,50,000.

നിരതദ്രവ്യം—₹ 1,500.

ദർഘാസ് ഫോറത്തിന്റെ വില—₹ 472 (including G.S.T.).

ദർഘാസ് ഫോറം വില്പനയുടെ അവസാന തീയതിയും സമയവും—14-7-2026, 1 മണിവരെ.

ദർഘാസ് ലഭിക്കേണ്ട അവസാന തീയതിയും സമയവും—14-7-2026, 3 മണിവരെ.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—14-7-2026, 3.15 മണി.

ദർഘാസ് സംബന്ധിച്ച് കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി ദിവസങ്ങളിൽ വൈകുന്നേരം 5 മണി വരെ ഈ ഓഫീസിൽ ലഭ്യമാണ്. ടെലഫോൺ നമ്പർ 0477-2252015.

സംസ്ഥാന ജലഗതാഗത വകുപ്പ് ഡയറക്ടറേറ്റ്,
ആലപ്പുഴ.

(ഒപ്പ്)
ഡയറക്ടർ.

